



Special
Sale





Dear Customer,

We are offering a special sale for selected items.

You will have special discounts for the products contained in this document.

Please contact us by email at : Sales@gmt.tw and you will be surprised!



MC1A-60

X axis
Manual stage




Table size 60*60
Travel stroke ± 9 mm
Straightness 30 μ m

<https://www.gmtglobalinc.com/en/mc1a-60>

MYW40-AS

XY axis
Manual stage



Table size 40*40

Travel stroke ± 6.5 mm

Straightness 3 μ m

<https://www.gmtglobalinc.com/en/myw40-as>



MYW100- AS

XY axis
Manual stage



Table size 100*100

Travel stroke ± 12.5 mm

Straightness 3 μ m

<https://www.gmtglobalinc.com/en/myw100-as>



AR39- A3NN

Rotary stage
Worm & Worm gear (Ratio 1 / 120)



Table size Ø 39
Travel stroke 360°
Repeatability $\pm 0.05^\circ$

<https://www.gmtglobalinc.com/en/ar39-standard>



AR59- A3NN

Rotary stage
Worm & Worm gear (Ratio 1 / 180)



Table size Ø 59
Travel stroke 360°
Repeatability $\pm 0.05^\circ$

<https://www.gmtglobalinc.com/en/ar59-standard>



AXG6- 75VM-3PR

Gonio stage
Worm & Worm gear (Ratio 1 / 224)



Table size 60*60

Travel stroke $\pm 8^\circ$

Repeatability $\pm 0.003^\circ$

<https://www.gmtglobalinc.com/en/axg6-precision-worm-worm-gear-drive>



AXG4- 40VM-3PR

Gonio stage
Worm & Worm gear (Ratio 1 / 240)



Table size 40*40

Travel stroke $\pm 8^{\circ}$

Repeatability $\pm 0.003^{\circ}$

<https://www.gmtglobalinc.com/en/axg4-precision-worm-worm-gear-drive>



AX40- A2NR

X axis



Table size 40*40

Travel stroke 15 mm

Repeatability $\pm 1 \mu\text{m}$

<https://www.gmtglobalinc.com/en/ax40-a-standard>

AZ60- A6HPR

Z axis



Table size 60*88

Travel stroke 4 mm

Repeatability $\pm 0.5 \mu\text{m}$

<https://www.gmtglobalinc.com/en/az60-hp-hi-resolution-precision>

GKA4270- 400-12N

X axis

Accessories are optional.



Stroke: 313mm

Lead: 5mm

Repeatability ± 0.01 mm

GKA4270- 500-12N

X axis

Accessories are optional.



Stroke: 413mm

Lead: 5mm

Repeatability ± 0.01 mm

GKA5496-340-12N

X axis

Accessories are optional.



Stroke: 229 mm

Lead: 10 mm

Repeatability ± 0.01 mm

GKA5496- 340-12P

X axis

Accessories are optional.



Stroke: 229 mm

Lead: 20 mm

Repeatability ± 0.003 mm

AXYR60- A2PR

XYθ axis



Table size Ø 60

Travel stroke $X \pm 7.5 \text{ mm}$, $Y \pm 7.5 \text{ mm}$, $\theta \pm 8.5^\circ$

Repeatability $XY \pm 1 \mu\text{m}$, $\theta \pm 0.01^\circ$

<https://www.gmtglobalinc.com/en/axyr60-precision>

AXYR120- A2PR

XYθ axis



Table size Ø 120

Travel stroke $X \pm 15 \text{ mm}$, $Y \pm 15 \text{ mm}$, $\theta \pm 10^\circ$

Repeatability $XY \pm 1 \mu\text{m}$, $\theta \pm 0.01^\circ$

<https://www.gmtglobalinc.com/en/axyr120-precision>



CXS6030- F2NN-P2

X axis



Table size 60*60

Travel stroke 30 mm

Repeatability $\pm 1 \mu\text{m}$

<https://www.gmtglobalinc.com/en/cxs60-standard>



CX Series	Table Size	Stroke	Repeatability (um)	Material
CXS6030-F2NN-P2-XD	60*60	30	±1	Carbon Steel
CXN6030-F2NN-P1-XD	60*60	30	±1	Carbon Steel
CXN6050-F2NN-P2-XD	60*60	50	±1	Carbon Steel
CXN6050-F2NN-P1-XD	60*60	50	±1	Carbon Steel
CXN6075-F2NN-P2-XD	60*60	75	±1	Carbon Steel
CXN6075-F2NN-P1-XD	60*60	75	±1	Carbon Steel
CXN6075-F2PN-P2-XD	60*60	75	±0.5	Carbon Steel
CXN60100-F2PN-P2-XD	60*60	100	±0.5	Carbon Steel
CXN60100-F2NN-P2-XD	60*60	100	±1	Carbon Steel
CXN60150-F2PN-P2-XD	60*60	150	±0.5	Carbon Steel
CXN60200-F2PN-P2-XD	60*60	200	±0.5	Carbon Steel
CXN60250-F2NN-P2-XD	60*60	250	±1	Carbon Steel
CXN60300-F2PN-P2-XD	60*60	300	±0.5	Carbon Steel
CXN8030-F2NN-P1-XD	80*80	30	±1	Carbon Steel
CXN8050-F2NN-P1-XD	80*80	50	±1	Carbon Steel
CXN8075-F2NN-P2-XD	80*80	75	±1	Carbon Steel
CXN8075-F2NN-P1-XD	80*80	75	±1	Carbon Steel

GECA

Cylinder



Width 36, 40, 60, 75 mm

Travel stroke 20~175 mm

Repeatability $\pm 5 \mu\text{m}$

<https://www.gmtglobalinc.com/en/search?q=GECA>

GE CB

Cylinder



Width 32, 36, 50, 48, 80 mm

Travel stroke 50~75 mm

Repeatability $\pm 5 \mu\text{m}$

<https://www.gmtglobalinc.com/en/search?q=GE CB&cid=0&advs=false&isc=false&sid=false>

GECD

Cylinder



Width 20, 28 mm

Travel stroke 15, 25, 50 mm

Repeatability $\pm 5 \mu\text{m}$

Contact sales for more information



GECF

Cylinder

LIMITED QTY!



Width 50 mm

Travel stroke 300 mm

Repeatability $\pm 5 \mu\text{m}$

Contact sales for more information

GECX

Cylinder



Width 35, 40, 60 mm

Travel stroke 50~100 mm

Repeatability $\pm 5 \mu\text{m}$

<https://www.gmtglobalinc.com/en/search?q=GECX>

GESC

Long Stroke Cylinder



Width 44, 54 mm

Travel stroke 100~600 mm

Repeatability $\pm 5 \mu\text{m}$

Contact sales for more information



CX Series	Table Size	Stroke	Repeatability (um)	Material
CXS6030-F2NN-P2-XD	60*60	30	±1	Carbon Steel
CXN6030-F2NN-P1-XD	60*60	30	±1	Carbon Steel
CXN6050-F2NN-P2-XD	60*60	50	±1	Carbon Steel
CXN6050-F2NN-P1-XD	60*60	50	±1	Carbon Steel
CXN6075-F2NN-P2-XD	60*60	75	±1	Carbon Steel
CXN6075-F2NN-P1-XD	60*60	75	±1	Carbon Steel
CXN6075-F2PN-P2-XD	60*60	75	±0.5	Carbon Steel
CXN60100-F2PN-P2-XD	60*60	100	±0.5	Carbon Steel
CXN60100-F2NN-P2-XD	60*60	100	±1	Carbon Steel
CXN60150-F2PN-P2-XD	60*60	150	±0.5	Carbon Steel
CXN60200-F2PN-P2-XD	60*60	200	±0.5	Carbon Steel
CXN60250-F2NN-P2-XD	60*60	250	±1	Carbon Steel
CXN60300-F2PN-P2-XD	60*60	300	±0.5	Carbon Steel
CXN8030-F2NN-P1-XD	80*80	30	±1	Carbon Steel
CXN8050-F2NN-P1-XD	80*80	50	±1	Carbon Steel
CXN8075-F2NN-P2-XD	80*80	75	±1	Carbon Steel
CXN8075-F2NN-P1-XD	80*80	75	±1	Carbon Steel